

内蒙古东达蒙古王集团
内蒙古众兴羊绒制品有限公司
电话：+86 0477 5295128
网址：www.dongda.com.cn
地址：中国内蒙古鄂尔多斯市达拉特旗东达羊绒工业区



CASHMERE COLLECTION 2026/2027



26s/2 100% Cashmere
Cashmere fancy yarn

CASHMERE COLLECTION
2026/2027

"东达蒙古王"创始于1993年，距今已有30多年品牌历史。专业做羊绒羊毛系列原料的纱线及羊绒制品，拥有洗、梳、染、纺全产业链自营工厂。

洗绒车间拥有内蒙古境内最大规模的成套洗绒流水线，全年可完成洗原绒量5000吨；配套梳绒车间2300m²，全年可梳原绒量近500吨。拥有先进的配套染色车间，可满足客户散绒染色量500吨/年的需求，是北方地区较大规模的染色厂。拥有6条粗纺纺纱流水线，可纺13支到36支纱线，纺纱年产量500吨。在纺纱质量要求方面，是北方地区唯一一家深浅颜色完全分离，拥有独立车间的纺纱厂。同时拥有专业检测实验室，配备资深检测团队和齐全的检测仪器及设备,对山羊绒原料及羊绒羊毛制品严格检测，以精准数据为产品质量保驾护航。纺纱设备方面，梳毛机现使用意大利OCTIR梳毛机，意大利B5走锭细纱机和FN6国产细纱机，意大利GAUDINO环锭细纱机，德国SCHLAFHORST自动络筒机等。

"DONGDA MONGOLIA KING" WAS FOUNDED IN 1993, HAS MORE THAN 30 YEARS OF BRAND HISTORY. WE ARE COMMITTED TO THE WASHING, COMBING, DYEING, SPINNING PROCESSES OF CASHMERE WOOL SERIES OF MATERIALS ,WHICH IS A SELF-OPERATED FACTORY WITH WHOLE INDUSTRIAL CHAIN.

THE WASHING WORKSHOP HAS THE LARGEST COMPLETE WASHING LINE IN INNER MONGOLIA, WHICH CAN COMPLETE THE WASHING CAPACITY OF 5000 TONS RAW MATERIAL PER YEAR. SUPPORTING CARDING WORKSHOP 2300 SQUARE METERS, THE ANNUAL CARDING CAPACITY OF NEARLY 500 TONS CASHMERE RAW MATERIAL ;IT HAS AN ADVANCED DYEING WORKSHOP,WHICH CAN MEET THE CUSTOMER'S DEMAND OF 500 TONS OF TOP DYEING PER YEAR, AND IT IS A LARGE-SCALE DYEING FACTORY IN NORTHERN PART OF CHINA.

IT HAS 6 WOOLEN SPINNING LINES, MAINLY SPIN COUNT 2/13NM TO 2/36NM YARNS,WITH ANNUAL OUTPUT OF 500 TONS.IN TERMS OF SPINNING QUALITY REQUIREMENTS, IT IS THE ONLY SPINNING FACTORY IN THE NORTHERN OF CHINA WITH COMPLETE SEPARATION OF DARK AND LIGHT COLORS AND INDEPENDENT WORKSHOPS.MEANTIME WE OPERATE A CERTIFIED TESTING LABORATORY STAFFED BY EXPERIENCED TEXTILE SPECIALISTS AND EQUIPPED WITH ADVANCED ANALYTICAL INSTRUMENTS. THROUGH RIGOROUS TESTING OF CASHMERE FIBERS AND FINISHED WOOL PRODUCTS, WE DELIVER DATA-DRIVEN QUALITY CONTROL THAT GUARANTEES EXCELLENCE AT EVERY PRODUCTION STAGE. FOR SPINNING EQUIPMENTS, CARDING MACHINE IS OCTIR CARDING MACHINES, ITALY B5 SPINDLE SPINNING MACHINES AND FN6 DOMESTIC SPINNING MACHINES, ITALY GAUDINO RING SPINNING MACHINES, GERMANY SCHLAFHORST AUTOMATIC WINDER.



品质承诺 QUALITY COMMITMENT

高品质山羊绒稳定制造商 中国优质纱线供应商

Stable manufacturer of high-quality cashmere
China quality yarn supplier

东达蒙古王山羊绒系列，
所有颜色全部采用白色原绒作为纱线原料，
只有基于严苛的原料控制，
才能得到纱线超国标的检测结果！

Dongda Mongolia king cashmere series,
All colors are made of white virgin wool as yarn raw material,
Only based on strict raw material control,
In order to get the test results of yarn
exceeding the national standard!



LIGHTWEIGHT
轻盈



BREATHABLE
透气



SKIN FRIENDLY
亲肤



NATURAL
天然



Nature-Inspired Color Palettes

自然启发色彩面板



26S/2 100%CASHMERE

RECOMMENDED FINISHING

A two bath method, using a designated detergent, will give the optimum handle. The first bath is designed to remove the spinning oil and residual dyestuffs and the second to mill the garments to the required handle. The following recommendation is based on a rotary finishing machine.

Water temperature: 40°C

Bath ratio : 1: 25(25 litres of water for every kilogram of garments.)

BATH 1:

- ▲ 1-2% of non-ionic detergent, based on weight of goods
- ▲ Run for 1 minute
- ▲ Drain and rinse

BATH 2:

- ▲ 2% detergent, based on weight of goods
- ▲ Run for 3 minutes, depending on the handle required. For a soften handle extend the time in this bath.
- ▲ Drain and rinse
- ▲ 5% Softener maximum. Run for 6 minutes.
- ▲ Standard tumble dry 70-80°C(60°C for light shades), until dry. Do not over dry.

后整理

两次洗缩的过程，要使用专业的助剂，可获得更好的手感。第一次水洗用于去除纺纱中的和毛油助剂以及染色过程中可能遗留的浮色。第二次主要用于处理织物的手感。

水温：40°C

浴比：1:25

第一次水洗：

- ▲根据衣物的重量，加入 1-2%非离子助剂
- ▲转动1分钟
- ▲脱水、漂洗

第二次水洗：

- ▲根据衣物的重量，加入 2%的助剂
- ▲转动3 分钟，根据手感的需要可适当增减。增加转动时间可获得更加柔软、丰满的手感。
- ▲脱水、漂洗
- ▲添加 5%柔软剂,转动6 分钟
- ▲70-80°C标准下翻动、烘干(浅亮色 60°C)

CARE INSTRUCTIONS 保养说明



手洗
Hand wash



请勿漂白
Do not
bleach











低温熨烫
Iron at
cool setting







干洗
Dry clean



平摊晾干
Dry flat

	1	2	3
A			
	DD001	DD002	DD135
B			
	DD155	DD084	DD097
C			
	本米	DD051	DD091
D			
	DD182	DD205	DD156
E			
	DD183	DD181	DD085
F			
	紫本	DD043	DD029

	4	5	6
A			
	DD007	DD180	DD107
B			
	DD017	DD092	DD108
C			
	DD114	DD111	DD066
D			
	DD110	DD090	DD068
E			
	DD224	DD045	DD089
F			
	DD207	DD153	DD030



中国·内蒙古
巴丹吉林

Desert lakes Color Palettes

沙漠湖泊色彩面板



26S/2 100%CASHMERE

RECOMMENDED FINISHING

A two bath method, using a designated detergent, will give the optimum handle. The first bath is designed to remove the spinning oil and residual dyestuffs and the second to mill the garments to the required handle. The following recommendation is based on a rotary finishing machine.

Water temperature: 40°C

Bath ratio : 1: 25(25 litres of water for every kilogram of garments.)

BATH 1:

- ▲ 1-2% of non-ionic detergent, based on weight of goods
- ▲ Run for 1 minute
- ▲ Drain and rinse

BATH 2:

- ▲ 2% detergent, based on weight of goods
- ▲ Run for 3 minutes, depending on the handle required. For a softer handle extend the time in this bath.
- ▲ Drain and rinse
- ▲ 5% Softener maximum. Run for 6 minutes.
- ▲ Standard tumble dry 70-80°C(60°C for light shades), until dry. Do not over dry.

后整理

两次洗缩的过程，要使用专业的助剂，可获得更好的手感。第一次水洗用于去除纺纱中的和毛油助剂以及染色过程中可能遗留的浮色。第二次主要用于处理织物的手感。

水温：40°C

浴比：1:25

第一次水洗：

- ▲根据衣物的重量，加入 1-2%非离子助剂
- ▲转动1分钟
- ▲脱水、漂洗

第二次水洗：

- ▲根据衣物的重量，加入 2%的助剂
- ▲转动3 分钟，根据手感的需要可适当增减。增加转动时间可获得更加柔软、丰满的手感。
- ▲脱水、漂洗
- ▲添加 5%柔软剂,转动6 分钟
- ▲70-80°C标准下翻动、烘干(浅亮色 60°C)

CARE INSTRUCTIONS 保养说明



手洗
Hand wash



请勿漂白
Do not
bleach














低温熨烫
Iron at
cool setting











干洗
Dry clean



平摊晾干
Dry flat

	7	8	9
A	 DD234	 DD200	 DD235
B	 DD237	 DD020	 DD035
C	 DD123	 DD021	 DD023
D	 DD038	 DD034	 DD138
E	 DD041	 DD152	 DD154
F	 DD115	 DD047	 DD194

	10	11	12
A	 DD042	 DD225	 DD179
B	 DD204	 DD230	 DD217
C	 DD171	 DD177	 DD203
D	 DD168	 DD142	 DD240
E	 DD159	 DD239	 DD095
F	 DD046	 DD080	 DD137



中国·内蒙古
乌兰布统草原



Grassland Color Palettes

草原色彩面板



26S/2 100%CASHMERE

RECOMMENDED FINISHING

A two bath method, using a designated detergent, will give the optimum handle. The first bath is designed to remove the spinning oil and residual dyestuffs and the second to mill the garments to the required handle. The following recommendation is based on a rotary finishing machine.

Water temperature: 40°C

Bath ratio : 1: 25(25 litres of water for every kilogram of garments.)

BATH 1:

- ▲ 1-2% of non-ionic detergent, based on weight of goods
- ▲ Run for 1 minute
- ▲ Drain and rinse

BATH 2:

- ▲ 2% detergent, based on weight of goods
- ▲ Run for 3 minutes, depending on the handle required. For a softer handle extend the time in this bath.
- ▲ Drain and rinse
- ▲ 5% Softener maximum. Run for 6 minutes.
- ▲ Standard tumble dry 70-80°C(60°C for light shades), until dry. Do not over dry.

后整理

两次洗缩的过程，要使用专业的助剂，可获得更好的手感。第一次水洗用于去除纺纱中的和毛油助剂以及染色过程中可能遗留的浮色。第二次主要用于处理织物的手感。

水温：40°C

浴比：1:25

第一次水洗：

- ▲根据衣物的重量，加入 1-2%非离子助剂
- ▲转动1分钟
- ▲脱水、漂洗

第二次水洗：

- ▲根据衣物的重量，加入 2%的助剂
- ▲转动3 分钟，根据手感的需要可适当增减。增加转动时间可获得更加柔软、丰满的手感。
- ▲脱水、漂洗
- ▲添加 5%柔软剂,转动6 分钟
- ▲70-80°C标准下翻动、烘干(浅亮色 60°C)

CARE INSTRUCTIONS 保养说明



手洗
Hand wash



请勿漂白
Do not
bleach














低温熨烫
Iron at
cool setting















干洗
Dry clean



平摊晾干
Dry flat

	13	14	15
A			
	DD233	DD187	DD202
B			
	DD236	DD199	DD016
C			
	DD231	DD226	DD185
D			
	DD166	DD232	DD209
E			
	DD018	DD103	DD211
F			
	DD170	DD222	DD048

	16	17	18
A			
	DD220	DD241	DD221
B			
	DD118	DD227	DD213
C			
	DD219	DD215	DD196
D			
	DD210	DD117	DD116
E			
	DD195	DD119	DD104
F			
	DD175	DD015	DD072



中国·内蒙古
呼伦湖



French Riviera Color Palettes

蔚蓝海岸色彩面板



DONG DA MONGOLIA KING

26S/2 100%CASHMERE

RECOMMENDED FINISHING

A two bath method, using a designated detergent, will give the optimum handle. The first bath is designed to remove the spinning oil and residual dyestuffs and the second to mill the garments to the required handle. The following recommendation is based on a rotary finishing machine.

Water temperature: 40°C

Bath ratio : 1: 25(25 litres of water for every kilogram of garments.)

BATH 1:

- ▲ 1-2% of non-ionic detergent, based on weight of goods
- ▲ Run for 1 minute
- ▲ Drain and rinse

BATH 2:

- ▲ 2% detergent, based on weight of goods
- ▲ Run for 3 minutes, depending on the handle required. For a softer handle extend the time in this bath.
- ▲ Drain and rinse
- ▲ 5% Softener maximum. Run for 6 minutes.
- ▲ Standard tumble dry 70-80°C(60°C for light shades), until dry. Do not over dry.

后整理

两次洗缩的过程，要使用专业的助剂，可获得更好的手感。第一次水洗用于去除纺纱中的和毛油助剂以及染色过程中可能遗留的浮色。第二次主要用于处理织物的手感。

水温：40°C

浴比：1:25

第一次水洗：

- ▲根据衣物的重量，加入 1-2%非离子助剂
- ▲转动1分钟
- ▲脱水、漂洗

第二次水洗：

- ▲根据衣物的重量，加入 2%的助剂
- ▲转动3 分钟，根据手感的需要可适当增减。增加转动时间可获得更加柔软、丰满的手感。
- ▲脱水、漂洗
- ▲添加 5%柔软剂,转动6 分钟
- ▲70-80°C标准下翻动、烘干(浅亮色 60°C)

CARE INSTRUCTIONS 保养说明



手洗
Hand wash



请勿漂白
Do not
bleach














低温熨烫
Iron at
cool setting










干洗
Dry clean



平摊晾干
Dry flat


	19	20	21
A			
	DD190	DD208	DD149
B			
	DD081	DD026	DD167
C			
	DD216	DD134	DD141
D			
	DD027	DD028	DD214
E			
	DD098	DD067	DD151
F			
	DD150	DD033	DD212

	22	23	24
A			
	DD228	DD145	DD075
B			
	DD071	DD069	DD121
C			
	DD105	DD062	DD031
D			
	DD186	DD032	
E			
F			

Magic Color Palettes

魔法色彩面板




中国·内蒙古
阿拉善

羊绒花式纱
Cashmere Fancy Yarn



RECOMMENDED FINISHING

A two bath method, using a designated detergent, will give the optimum handle. The first bath is designed to remove the spinning oil and residual dyestuffs and the second to mill the garments to the required handle. The following recommendation is based on a rotary finishing machine.

Water temperature: 40°C

Bath ratio : 1: 25(25 litres of water for every kilogram of garments.)

BATH 1:

- ▲ 1-2% of non-ionic detergent, based on weight of goods
- ▲ Run for 1 minute
- ▲ Drain and rinse

BATH 2:

- ▲ 2% detergent, based on weight of goods
- ▲ Run for 3 minutes, depending on the handle required. For a soften handle extend the time in this bath.
- ▲ Drain and rinse
- ▲ 5% Softener maximum. Run for 6 minutes.
- ▲ Standard tumble dry 70-80°C(60°C for light shades), until dry. Do not over dry.

后整理

两次洗缩的过程，要使用专业的助剂，可获得更好的手感。第一次水洗用于去除纺纱中的和毛油助剂以及染色过程中可能遗留的浮色。第二次主要用于处理织物的手感。

水温：40°C

浴比：1:25

第一次水洗：

- ▲根据衣物的重量，加入 1-2%非离子助剂
- ▲转动1分钟
- ▲脱水、漂洗

第二次水洗：

- ▲根据衣物的重量，加入 2%的助剂
- ▲转动3 分钟，根据手感的需要可适当增减。增加转动时间可获得更加柔软、丰满的手感。
- ▲脱水、漂洗
- ▲添加 5%柔软剂,转动6 分钟
- ▲70-80°C标准下翻动、烘干(浅亮色 60°C)

CARE INSTRUCTIONS 保养说明



手洗
Hand wash



请勿漂白
Do not
bleach



低温熨烫
Iron at
cool setting




干洗
Dry clean




平摊晾干
Dry flat

1




DT248

2



DT264

3




DT253

DT265



DT263



DT245



DT252



DT261




DT255



DT259




DT254



DT242




4




DT258

5




DT266

6




DT256


DT243




DT267




DT244




DT247




DT249




DT257



DT260



DT262



DT268

